

## CBD Iso GVL-TST1087

Lab ID: 2602147-01

Central Oregon Processing

Kadence Naturals

P.O. Box 3307  
Culver City, CA 90231

METRC Batch ID: T670555

Lemon Crisp CBD Body Oil - 150 MG  
Sample ID: T670555  
Topical CBD

Date Sampled: 02/16/26

Date Printed: 03/2/26

Report cannot be used for OLCC/OHA compliance.



Total Sample Received: 1  
Unit Weight: 2 oz

## Potency Analysis

Analytical Method: De Backer, Journal of Chromatography b.2009. 11.004 -  
SOP 102 - Cannabinoids via High Performance Liquid Chromatography

Cannabinoids	%	LOQ	Notes
THCA	< LOQ	0.131	
delta 9-THC	< LOQ	0.131	
delta 8-THC	< LOQ	0.131	
CBDA	< LOQ	0.131	
CBD	100*	0.131	
CBGA	< LOQ	0.131	
CBG	< LOQ	0.131	
CBN	< LOQ	0.131	
CBC	< LOQ	0.131	
CBDVA	< LOQ	0.131	
CBDV	0.274	0.131	
THCV	< LOQ	0.131	
THCVA	< LOQ	0.131	
Total CBG	< LOQ	0.115	
Total CBDV	0.274	0.115	
Total THCV	< LOQ	0.115	
Total Cannabinoids	100*	0.115	

**Total THC**  
**< LOQ %**

**Total CBD**  
**100\* %**

Results that fail state testing requirements will be highlighted **Red**.

\* The actual result obtained from the analysis was 104%. This result has been corrected to 100%, which is within the laboratory's calculated analytical uncertainty of +/- 5.09%.

<LOQ - Results below the Limit of Quantitation

ORELAP accredited cannabinoid analytes include only CBDA, CBD, THCA, delta-9-THC, and delta-8-THC.

Acid form of THC/CBD are decarboxylated by heat, lose 12% of original mass as CO<sub>2</sub>. Result = "bioactive"

"Total" Cannabinoid accounts for decarboxylation and moisture content. **Total THC = [(THCA×0.877) + Δ9THC] / (100%-MC)**

Chris Griffey  
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

# Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

### Pesticide Analysis in PPM

Date/Time Extracted: 02/17/26 17:13

Date/Time Analyzed: 02/18/26 18:59

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26B160

Analyte	Result	Action Level	LOQ	Notes	Type
Abamectin	< LOQ	0.5	0.2500		Avermectin insecticide
Acephate	< LOQ	0.4	0.2000		Organophosphate Insecticide
Acequinocyl	< LOQ	2	1.000		Quinoline insecticide
Acetamiprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Aldicarb	< LOQ	0.4	0.2000		Carbamate insecticide
Azoxystrobin	< LOQ	0.2	0.1000		Strobilin fungicide
Bifenazate	< LOQ	0.2	0.1000		Carbamate miticide
Bifenthrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Boscalid	< LOQ	0.4	0.2000		Carboxamide fungicide
Carbaryl	< LOQ	0.2	0.1000		Carbamate insecticide
Carbofuran	< LOQ	0.2	0.1000		Carbamate insecticide
Chlorantraniliprole	< LOQ	0.2	0.1000		Anthranilic diamide insecticide
Chlorfenapyr	< LOQ	1	0.5000		Pyrrole insecticide
Chlorpyrifos	< LOQ	0.2	0.1000		Organophosphate Insecticide
Clofentezine	< LOQ	0.2	0.1000		Tetrazine miticide
Cyfluthrin	< LOQ	1	0.5000		Pyrethroid insecticide
Cypermethrin	< LOQ	1	0.5000		Pyrethroid insecticide
Daminozide	< LOQ	1	0.5000		Plant growth regulator
DDVP (Dichlorvos)	< LOQ	1	0.5000		Organophosphate insecticide
Diazinon	< LOQ	0.2	0.1000		Organophosphate Insecticide
Dimethoate	< LOQ	0.2	0.1000		Organophosphate insecticide
Ethoprophos	< LOQ	0.2	0.1000		Organophosphate insecticide
Etofenprox	< LOQ	0.4	0.2000		Pyrethroid insecticide
Etoxazole	< LOQ	0.2	0.1000		Oxazoline insecticide
Fenoxycarb	< LOQ	0.2	0.1000		Carbamate insecticide
Fenproximate	< LOQ	0.4	0.2000		Pyrazolium miticide
Fipronil	< LOQ	0.4	0.2000		Pyrazole insecticide
Fonicamid	< LOQ	1	0.5000		Pyridinecarboxamide insecticide
Fludioxonil	< LOQ	0.4	0.2000		Benzodioxole fungicide
Hexythiazox	< LOQ	1	0.5000		Heterocyclic miticide
Imazalil	< LOQ	0.2	0.1000		Imidazole fungicide
Imidacloprid	< LOQ	0.4	0.2000		Neonicotinoid insecticide
Kresoxim-methyl	< LOQ	0.4	0.2000		Strobilurin fungicide
Malathion	< LOQ	0.2	0.1000		Organophosphate insecticide

 Chris Griffey  
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

# Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

### Pesticide Analysis in PPM

Date/Time Extracted: 02/17/26 17:13

Date/Time Analyzed: 02/18/26 18:59

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26B160

Analyte	Result	Action Level	LOQ	Notes	Type
Metalaxyl	< LOQ	0.2	0.1000		Benzenoid fungicide
Methiocarb	< LOQ	0.2	0.1000		Carbamate insecticide
Methomyl	< LOQ	0.4	0.2000		Carbamate insecticide
Methyl parathion	< LOQ	0.2	0.1000		Organophosphate insecticide
MGK-264	< LOQ	0.2	0.1000		Pesticide synergist
Myclobutanil	< LOQ	0.2	0.1000		Triazole fungicide
Naled	< LOQ	0.5	0.2500		Organophosphate insecticide
Oxamyl	< LOQ	1	0.5000		Carbamate insecticide
Paclobutrazol	< LOQ	0.4	0.2000		Triazole fungicide
Permethrins	< LOQ	0.2	0.1000		Pyrethroid insecticide
Phosmet	< LOQ	0.2	0.1000		Organophosphate insecticide
Piperonyl butoxide	< LOQ	2	1.000		Pesticide synergist
Prallethrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Propiconazole	< LOQ	0.4	0.2000		Triazole fungicide
Propoxur	< LOQ	0.2	0.1000		Carbamate insecticide
Pyrethrins	< LOQ	1	0.5000		Pyrethroid insecticide
Pyridaben	< LOQ	0.2	0.1000		Pyridazinone insecticide
Spinosad	< LOQ	0.2	0.1000		Spinosyn insecticide
Spiromesifen	< LOQ	0.2	0.1000		Keto-enol insecticide
Spirotetramat	< LOQ	0.2	0.1000		Keto-enol insecticide
Spiroxamine	< LOQ	0.4	0.2000		Spiroketalamine fungicide
Tebuconazole	< LOQ	0.4	0.2000		Triazole fungicide
Thiacloprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Thiamethoxam	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Trifloxystrobin	< LOQ	0.2	0.1000		Strobin fungicide

&lt;LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

 Chris Griffey  
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

# Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

### Residual Solvents Analysis in PPM

Date/Time Extracted: 02/16/26 13:23

Date/Time Analyzed: 02/16/26 20:40

Analysis Method/SOP: RS

Instrument: Enrique

Batch Identification: B26B141

Solvent	Results in ppm	LOQ	Action Level	Notes
Acetone	< LOQ	2500	5000	
Acetonitrile	< LOQ	205.0	400	
Benzene	< LOQ	1.000	2	
2-Butanol	< LOQ	2500	5000	
Cumene	< LOQ	35.00	70	
Cyclohexane	< LOQ	1940	3880	
Dichloromethane	< LOQ	300.0	600	
1,4-Dioxane	< LOQ	190.0	380	
2-Ethoxyethanol	< LOQ	80.00	160	
Ethyl acetate	< LOQ	2500	5000	
Ethylene glycol	< LOQ	310.0	620	
Ethylene oxide	< LOQ	25.00	50	
Ethyl ether	< LOQ	2500	5000	
Heptane	< LOQ	2500	5000	
Isopropyl acetate	< LOQ	2500	5000	
Methanol	< LOQ	1500	3000	
Propane	< LOQ	2500	5000	
2-Propanol (IPA)	< LOQ	2500	5000	
Tetrahydrofuran	< LOQ	360.0	720	
Toluene	< LOQ	445.0	890	
Butanes	< LOQ	2500	5000	
Hexanes	< LOQ	145.0	290	
Pentanes	< LOQ	2500	5000	
Xylenes	< LOQ	1085	2170	

Results above the Action Level, or otherwise fail state testing requirements will be highlighted Red.

 Chris Griffey  
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

### Heavy Metals Analysis in PPM

Date/Time Extracted: 02/17/26 14:14

Date/Time Analyzed: 02/18/26 09:40

Analysis Method/SOP: Microwave Digestion

Instrument: Lothar

Batch Identification: B26B156

Analyte	Result	Action Level	LOQ	Notes
Arsenic	< LOQ	0.2	0.100	
Cadmium	< LOQ	0.2	0.100	
Lead	< LOQ	0.5	0.250	
Mercury	< LOQ	0.1	0.0500	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

Chris Griffey  
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
ORELAP ID: 4096  
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Potency

### Batch: B26B140 - Potency

#### Blank(B26B140-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
delta 9-THC	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBGA	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBDA	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBD	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBN	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBG	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
delta 8-THC	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBC	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
THCV	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
THCVA	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBDVA	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	
CBDV	< LOQ	0.133	%		02/16/26 16:11	02/16/26 20:37	

#### LCS(B26B140-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	101	0.137	%	90-110	02/16/26 16:11	02/16/26 20:52	
delta 9-THC	101	0.137	%	90-110	02/16/26 16:11	02/16/26 20:52	
CBDA	101	0.137	%	90-110	02/16/26 16:11	02/16/26 20:52	
CBD	102	0.137	%	90-110	02/16/26 16:11	02/16/26 20:52	
delta 8-THC	100	0.137	%	90-110	02/16/26 16:11	02/16/26 20:52	

Chris Griffey  
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Pesticide Analysis

Batch: B26B160 - Pest/Myco

### Blank(B26B160-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.2500	ppm		02/17/26 17:13	02/18/26 14:29	
Acephate	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Acequinocyl	< LOQ	1.000	ppm		02/17/26 17:13	02/18/26 14:29	
Acetamiprid	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Aldicarb	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Azoxystrobin	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Bifenazate	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Bifenthrin	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Boscalid	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Carbaryl	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Carbofuran	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Chlorantraniliprole	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Chlorfenapyr	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Chlorpyrifos	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Clofentezine	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Cyfluthrin	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Cypermethrin	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Daminozide	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
DDVP (Dichlorvos)	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Diazinon	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Dimethoate	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Ethoprophos	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Etofenprox	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Etoxazole	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Fenoxycarb	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Fenpyroximate	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Fipronil	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Fonicamid	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Fludioxonil	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Hexythiazox	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Imazalil	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Imidacloprid	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Kresoxim-methyl	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Malathion	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	

Chris Griffey  
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control

### Pesticide Analysis (Continued)

Batch: B26B160 - Pest/Myco (Continued)

#### Blank(B26B160-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Metalaxyl	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Methiocarb	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Methomyl	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Methyl parathion	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
MGK-264	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Myclobutanil	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Naled	< LOQ	0.2500	ppm		02/17/26 17:13	02/18/26 14:29	
Oxamyl	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Paclobutrazol	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Permethrins	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Phosmet	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Piperonyl butoxide	< LOQ	1.000	ppm		02/17/26 17:13	02/18/26 14:29	
Prallethrin	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Propiconazole	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Propoxur	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Pyrethrins	< LOQ	0.5000	ppm		02/17/26 17:13	02/18/26 14:29	
Pyridaben	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Spinosad	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Spiromesifen	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Spirotetramat	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Spiroxamine	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Tebuconazole	< LOQ	0.2000	ppm		02/17/26 17:13	02/18/26 14:29	
Thiacloprid	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Thiamethoxam	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	
Trifloxystrobin	< LOQ	0.1000	ppm		02/17/26 17:13	02/18/26 14:29	

#### LCS(B26B160-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	113	0.2500	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Acephate	90.8	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Acequinocyl	93.0	1.000	ppm	40-160	02/17/26 17:13	02/18/26 14:13	
Acetamiprid	100	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Aldicarb	86.3	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Azoxystrobin	99.1	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Bifenazate	105	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	

 Chris Griffey  
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Pesticide Analysis (Continued)

Batch: B26B160 - Pest/Myco (Continued)

### LCS(B26B160-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Bifenthrin	95.0	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Boscalid	90.5	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Carbaryl	92.5	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Carbofuran	98.8	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Chlorantraniliprole	101	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Chlorfenapyr	89.7	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Chlorpyrifos	83.7	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Clofentezine	81.0	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Cyfluthrin	101	0.5000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Cypermethrin	91.8	0.5000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Daminozide	99.6	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
DDVP (Dichlorvos)	100	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Diazinon	95.5	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Dimethoate	97.0	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Ethoprophos	86.7	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Etofenprox	71.0	0.2000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Etoazole	89.3	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Fenoxycarb	86.3	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Fenpyroximate	86.3	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Fipronil	97.6	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Flonicamid	104	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Fludioxonil	98.6	0.2000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Hexythiazox	78.7	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Imazalil	100	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Imidacloprid	100	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Kresoxim-methyl	90.5	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Malathion	92.8	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Metalaxyl	98.6	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Methiocarb	89.9	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Methomyl	92.2	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Methyl parathion	101	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
MGK-264	79.5	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Myclobutanil	94.5	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Naled	92.5	0.2500	ppm	50-150	02/17/26 17:13	02/18/26 14:13	

Chris Griffey  
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Pesticide Analysis (Continued)

Batch: B26B160 - Pest/Myco (Continued)

### LCS(B26B160-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Oxamyl	88.0	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Paclobutrazol	93.2	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Permethrins	81.0	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Phosmet	99.9	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Piperonyl butoxide	88.7	1.000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Prallethrin	88.6	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Propiconazole	88.5	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Propoxur	95.0	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Pyrethrins	79.5	0.5000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Pyridaben	78.4	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Spinosad	115	0.1000	ppm	50-150	02/17/26 17:13	02/18/26 14:13	
Spiromesifen	91.1	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Spirotetramat	107	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Spiroxamine	102	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Tebuconazole	89.5	0.2000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Thiacloprid	104	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Thiamethoxam	98.7	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	
Trifloxystrobin	92.3	0.1000	ppm	60-120	02/17/26 17:13	02/18/26 14:13	

Chris Griffey  
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Heavy Metals

Batch: B26B156 - Microwave Digestion

### Blank(B26B156-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	< LOQ	0.100	ppm		02/17/26 14:14	02/18/26 09:11	
Cadmium	< LOQ	0.100	ppm		02/17/26 14:14	02/18/26 09:11	
Lead	< LOQ	0.250	ppm		02/17/26 14:14	02/18/26 09:11	
Mercury	< LOQ	0.0500	ppm		02/17/26 14:14	02/18/26 09:11	

### LCS(B26B156-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	157	0.100	ppm	80-115	02/17/26 14:14	02/18/26 09:18	Q3
Cadmium	88.4	0.100	ppm	80-115	02/17/26 14:14	02/18/26 09:18	
Lead	107	0.250	ppm	80-115	02/17/26 14:14	02/18/26 09:18	
Mercury	91.4	0.0500	ppm	80-115	02/17/26 14:14	02/18/26 09:18	

Chris Griffey  
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Solvent Analysis

Batch: B26B141 - ResSolv

### Blank(B26B141-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Acetonitrile	< LOQ	205.0	ppm		02/16/26 13:23	02/16/26 17:23	
Benzene	< LOQ	1.000	ppm		02/16/26 13:23	02/16/26 17:23	
2-Butanol	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Cumene	< LOQ	35.00	ppm		02/16/26 13:23	02/16/26 17:23	
Cyclohexane	< LOQ	1940	ppm		02/16/26 13:23	02/16/26 17:23	
Dichloromethane	< LOQ	300.0	ppm		02/16/26 13:23	02/16/26 17:23	
1,4-Dioxane	< LOQ	190.0	ppm		02/16/26 13:23	02/16/26 17:23	
2-Ethoxyethanol	< LOQ	80.00	ppm		02/16/26 13:23	02/16/26 17:23	
Ethyl acetate	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Ethylene glycol	< LOQ	310.0	ppm		02/16/26 13:23	02/16/26 17:23	
Ethylene oxide	< LOQ	25.00	ppm		02/16/26 13:23	02/16/26 17:23	
Ethyl ether	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Heptane	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Isopropyl acetate	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Methanol	< LOQ	1500	ppm		02/16/26 13:23	02/16/26 17:23	
Propane	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
2-Propanol (IPA)	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Tetrahydrofuran	< LOQ	360.0	ppm		02/16/26 13:23	02/16/26 17:23	
Toluene	< LOQ	445.0	ppm		02/16/26 13:23	02/16/26 17:23	
Butanes	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Hexanes	< LOQ	145.0	ppm		02/16/26 13:23	02/16/26 17:23	
Pentanes	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:23	
Xylenes	< LOQ	1085	ppm		02/16/26 13:23	02/16/26 17:23	

### Blank(B26B141-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Acetonitrile	< LOQ	205.0	ppm		02/16/26 13:23	02/16/26 17:52	
Benzene	< LOQ	1.000	ppm		02/16/26 13:23	02/16/26 17:52	
2-Butanol	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Cumene	< LOQ	35.00	ppm		02/16/26 13:23	02/16/26 17:52	
Cyclohexane	< LOQ	1940	ppm		02/16/26 13:23	02/16/26 17:52	
Dichloromethane	< LOQ	300.0	ppm		02/16/26 13:23	02/16/26 17:52	
1,4-Dioxane	< LOQ	190.0	ppm		02/16/26 13:23	02/16/26 17:52	

Chris Griffey  
Lab Director



## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control

### Solvent Analysis (Continued)

Batch: B26B141 - ResSolv (Continued)

#### Blank(B26B141-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
2-Ethoxyethanol	< LOQ	80.00	ppm		02/16/26 13:23	02/16/26 17:52	
Ethyl acetate	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Ethylene glycol	< LOQ	310.0	ppm		02/16/26 13:23	02/16/26 17:52	
Ethylene oxide	< LOQ	25.00	ppm		02/16/26 13:23	02/16/26 17:52	
Ethyl ether	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Heptane	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Isopropyl acetate	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Methanol	< LOQ	1500	ppm		02/16/26 13:23	02/16/26 17:52	
Propane	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
2-Propanol (IPA)	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Tetrahydrofuran	< LOQ	360.0	ppm		02/16/26 13:23	02/16/26 17:52	
Toluene	< LOQ	445.0	ppm		02/16/26 13:23	02/16/26 17:52	
Butanes	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Hexanes	< LOQ	145.0	ppm		02/16/26 13:23	02/16/26 17:52	
Pentanes	< LOQ	2500	ppm		02/16/26 13:23	02/16/26 17:52	
Xylenes	< LOQ	1085	ppm		02/16/26 13:23	02/16/26 17:52	

#### LCS(B26B141-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	111	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Acetonitrile	129	205.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
Benzene	122	1.000	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
n-Butane	101	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
2-Butanol	125	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
Cumene	120	35.00	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Cyclohexane	104	1940	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Dichloromethane	112	300.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
2,2-Dimethylbutane	117	145.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
2,3-Dimethylbutane 2-Methy	115	145.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
1,4-Dioxane	123	190.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
2-Ethoxyethanol	98.7	80.00	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Ethyl acetate	111	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Ethyl benzene	124	1085	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
Ethylene glycol	77.8	310.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Ethylene oxide	107	25.00	ppm	60-120	02/16/26 13:23	02/16/26 16:55	

 Chris Griffey  
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
ORELAP ID: 4096  
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

## Quality Control Solvent Analysis (Continued)

Batch: B26B141 - ResSolv (Continued)

### LCS(B26B141-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Ethyl ether	106	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Heptane	92.1	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
n-Hexane	103	145.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
iso-Butane	103	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Isopropyl acetate	124	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
iso-Pentane	108	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Methanol	99.0	1500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
3-Methylpentane	108	145.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
neo-Pentane	116	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
n-Pentane	94.0	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Propane	107	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
2-Propanol (IPA)	118	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Tetrahydrofuran	118	360.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Toluene	115	445.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
m,p Xylene	132	1085	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3
o-Xylene	119	1085	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Butanes	102	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Hexanes	112	145.0	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Pentanes	106	2500	ppm	60-120	02/16/26 13:23	02/16/26 16:55	
Xylenes	127	1085	ppm	60-120	02/16/26 13:23	02/16/26 16:55	Q3

Chris Griffey  
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



# Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A  
 ORELAP ID: 4096  
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

## CBD Iso GVL-TST1087

*Central Oregon Processing*

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2602147-01

### Notes and Definitions

- B Analyte detected in method blank, but not associated samples.
  - B2 Analyte detected in sample and associate method blank.
  - C Interference due to co-elution.
  - D Initial result exceeded calibration range, reported data are based on analysis of a dilution.
  - H Non-homogenous sample matrix affecting RPD and/or QC.
  - I Manual Integration was performed.
  - L Duplicate sample relative percent difference (RPD) exceeds QC limits.
  - LCS 3 marginal exceedances allowed for pesticide LCS (51-71 analytes) & 2 marginal exceedances allowed for solvents LCS (31-50 analytes)
  - M Anomalous results due to matrix interference.
  - Q1 QC out of limits but acceptable based on remaining QC.
  - Q2 Quality Control outside QC limits. Data considered estimate.
  - Q3 CCV/LCS was above the acceptance criteria. Non-detect samples are considered acceptable.
  - Q4 CCV/LCS was below the acceptance criteria, however the sample still exceeds the regulatory limit.
  - R Marginal Exceedence.
  - U Reported result is an estimate. The analyte was detected above the calibration range.
  - X Problems with initial analysis, reported data are from reinjection of prepared sample.
- <LOQ - Results below the Limit of Quantitation - Compound not detected

Chris Griffey  
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-001984/D002.R000  
**Report Date:** 02/23/2026  
**ORELAP#:** OR100028  
**Received:** 02/16/26 08:54



**Customer:** Central Oregon Processing  
212 NE North St.  
Grass Valley Oregon 97029  
United States of America (USA)  
**Product identity:** CBD Iso GVL-TST1087  
**Material:** Cannabinoid Isolate  
**Laboratory ID:** 26-001984-0001  
**Evidence of Cooling:** No  
**Temp:** 19.9 °C

### Sample Results

#### Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2601217	02/19/26 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2601217	02/19/26 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2601218	02/20/26 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2601218	02/20/26 AOAC 2014.05 (RAPID)		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-001984/D002.R000  
**Report Date:** 02/23/2026  
**ORELAP#:** OR100028  
**Received:** 02/16/26 08:54



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

**Units of Measure**

% wt =  $\mu\text{g/g}$  divided by 10,000

cfu/g = Colony forming units per gram

Approved Signatory

Derrick Tanner  
General Manager





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-001984/D002.R000  
**Report Date:** 02/23/2026  
**ORELAP#:** OR100028  
**Received:** 02/16/26 08:54



**Hemp & Cannabis  
Chain of Custody**

**Central-Oregon-  
Processing-1771011599**

<b>Company Details</b> Company: <u>Central Oregon Processing</u> Contact: <u>Bharath Pogula</u> Street Address: <u>374 NE Peters Rd</u> City, State, Zip: <u>Prineville, OR 97754</u> Email: <u>bharath@gvbbiopharma.com</u> Contact Phone: <u>9737225455</u>  <b>Billing Information</b> Billing Email: <u>bharath@gvbbiopharma.com</u>		<b>Project Details</b> Turnaround Time: <u>5 Business Days   Req. For Micro Testing   Standard</u> Relinquishment   Sampling, Courier & Shipping Options: <u>By Shipping Service (USPS, UPS, FedEx)</u>  <b>Receipt Information</b> Evidence of Cooling?: <u>No</u> Sample Condition: <u>Satisfactory</u> Prelog Storage: <u>Canna Shelves</u>		Testing M283 - RAPID Yeast and Mold Count (RYM) Petrifilm M076 - E. coli/Coliform Count (EC) Petrifilm	
#	Sample Name	Material	Amount Provided	Reporting Unit	
1	CBD Iso GVL-TST1087	Cannabinoid Isolate	10 g	%	✓

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Bharath Pogula</i>	<i>02/13/2026</i>	<i>11:40</i>	<i>cm</i>	<i>02/16/2026</i>	<i>08:54</i>	<i>19.90</i>	<i>CL-1243</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories  
12423 NE Whitaker Way  
Portland, OR 97230

P: (503) 254-1794  
[info.cfi@tentamus.com](mailto:info.cfi@tentamus.com)

Page 1 of 1  
[www.columbialaboratories.com](http://www.columbialaboratories.com)